

Life Table Trolley

(Suits Rectangle 1800mm and 2400mm Tables)

Assembly Instructions

Tools Required: Supplied



Life Table Trolley - Rectangle

Assembly Instructions

Thank you for purchasing Knight product, please carefully read the assembly instructions prior to installment to gain a complete understanding of the product. It provides you with important information about the safety, use, installation and maintenance.

WARNING: FAILURE TO COMPLY WITH OR OBSERVE ALL ASSEMBLY, SAFETY AND OPERATION INSTRUCTIONS REGARDING THE USE OF THIS PRODUCT MAY RESULT IN SERIOUS BODILY INJURY.

SAFETY

- The product must be used in a safe manner. Inappropriate use may cause damage to the product and/or cause bodily harm to the user or persons nearby.
- Don't locate furniture in direct sunlight or near air-conditioning inlet or heating radiator.
- Don't put high-temperature or frozen objects on furniture.
- Safely carry product to location of assembly.
- Retain this operation manual and pass it on to any future owner.

SET UP AND INSTALLATION

- Assemble the product according to the assembly instructions.
- To prevent possible scratches or damage, assemble the product on a soft surface such as a blanket, carpet or packaging.
- Place the product a safe distance from window frames, radiators, furniture etc. so that persons cannot become trapped.

It is recommended that this product is assembled by 2 people.

Any questions contact Knight on 0800 143 143

Due to continuous improvement of our products, our assembly instructions may not be in complete accordance with the product and we apologise in advance.



Life Table Trolley - Rectangle

Assembly Instructions

Parts

Item	Description	Quantity
A	Base	1
B	Side Poles	5
C	Wheel with Brake	4
D	Bolt	16
E	Nut	16
F	Steel Washer	32
G	Spanner	2



A Base



B Side Poles



C Wheel




D Bolt



E Nut



F Steel Washer




G Spanner

Step 1

Assembly of wheels (C) with base (A).

1. Place washer (F) on bolt (D).
2. Insert bolt (D) with washer (F) through the underneath of wheel (C) plate and through corner plate on base (A).
3. Place another washer (F) on bolt (D) and then nut (E) and tighten using spanner (G).
4. Repeat above for all four bolts per wheel.
5. Then repeat above instructions for the other three wheels.



Step 2

Assembly of base (A) and side poles (B).

1. Unfold the handle from base (A) by applying pressure to the back bar with your foot. Lift the handle up until it is in a 90 degree angle to the base.
2. Insert the side poles (B) into the slots on the sides and front of the base (A).
Note: Side poles can be stored flat in the base brackets when not in use.
3. To extend the base (A) to fit 2400mm tables pull the ring on the front end of the base, extend frame and release ring to lock in position.

