

Life Table Trolley

(Suits Round 1500mm and 1800mm Tables)

Assembly Instructions

Tools Required: Supplied



Life Table Trolley - Round

Assembly Instructions

Thank you for purchasing Knight product, please carefully read the assembly instructions prior to installment to gain a complete understanding of the product. It provides you with important information about the safety, use, installation and maintenance.

WARNING: FAILURE TO COMPLY WITH OR OBSERVE ALL ASSEMBLY, SAFETY AND OPERATION INSTRUCTIONS REGARDING THE USE OF THIS PRODUCT MAY RESULT IN SERIOUS BODILY INJURY.

SAFETY

- The product must be used in a safe manner. Inappropriate use may cause damage to the product and/or cause bodily harm to the user or persons nearby.
- Don't locate furniture in direct sunlight or near air-conditioning inlet or heating radiator.
- Don't put high-temperature or frozen objects on furniture.
- Safely carry product to location of assembly.
- Retain this operation manual and pass it on to any future owner.

SET UP AND INSTALLATION

- Assemble the product according to the assembly instructions.
- To prevent possible scratches or damage, assemble the product on a soft surface such as a blanket, carpet or packaging.
- Place the product a safe distance from window frames, radiators, furniture etc. so that persons cannot become trapped.

It is recommended that this product is assembled by 2 people.

Any questions contact Knight on 0800 143 143

Due to continuous improvement of our products, our assembly instructions may not be in complete accordance with the product and we apologise in advance.




Life Table Trolley - Round

Assembly Instructions

Parts


Item	Description	Quantity
A	Handle	1
B	Sides	2
C	Base	1
D	Wheel with Brake	4
E	Bolt	12
F	Nut	12
G	Nut	16
H	Steel Washer	32
I	Bolt	16
J	Spanner	2
K	Allen Key	1



A Handle



B Sides



C Base



D Wheel



E Bolt



F Nut




G Nut



H Steel Washer



I Bolt



J Spanner




K Allen Key

Step 1

Assembly of wheel (D) with base (C).


1. Place washer (H) on bolt (I).
2. Insert bolt (I) with washer (H) through the underneath of wheel (D) plate and through corner plate on base (C).
3. Place another washer (H) on bolt (I) and then nut (G) and tighten using spanner (J).
4. Repeat above for all four bolts per wheel.
5. Then repeat above instructions for the other three wheels.



Step 2

Assembly of sides (B) with base (C).


1. When assembling make sure the front of the sides (B) is facing the front of the base (C).
FRONT: has no space between the edge of the base and the corner uprights.
REAR: has a space between the edge of the base and the corner uprights.
2. Align side (B) with base (C) and fix using bolt (E) and nut (F), tighten using allen key (K).
3. Repeat above for the other side (B).



Step 3

Assembly of handle (A) with sides (B).

1. Place handle (A) into sides (B).
2. Pull the rings on sides (B) to adjust the length of the handle and release rings to lock handle (A) in position.



Step 4

Use a bungy cord to secure tables to trolley frame if trolley is not completely filled with tables.

